- 283. (Amended) The method of claim 282, further comprising the step of comparing said identifier to information included in said schedule.
- 284. (Unchanged) The method of claim 98, further comprising the step of including an instruct-to-coordinate signal in said plurality of signals.
- 285. (Unchanged) The method of claim 284, wherein said instruct-to-coordinate signal includes an identifier.
- 286. (Amended) The method of claim 98, further comprising the step reordering at least two of said plurality of signals.

Please cancel claims 287 to 303.

II. REMARKS

Applicants submit the foregoing claim amendments and cancellations for the purpose of expediting prosecution of the instant application. No new matter is added by these amendments.

Claims 31, 46, 64, 80, 85, 87-88, 93, 98, 119, 249, 251, 271 & 286 have been amended to recite "at least one," or "at least two," for occurrences of "one" and "two", respectively, to clarify that the claimed invention is not limited to just "one" or "two" of the recited components. No new matter is added by these amendments.

Claims 80, 88, 93, 98, 119 & 283 have been amended to replace the term "contain" (or its variants) with the more conventional transitional term "include" (or its variants). No new matter is added by these amendments.

Claim 119 has been amended to delete "programming stored at said processor" from the "delaying" step. The support for this claim remains as provided in prior submissions.

III. CONCLUSION

Applicants respectfully request consideration of the foregoing amendments and allowance of the instant application.

If the Examiner has any remaining informalities to be addressed, it is believed that prosecution can be expedited by the Examiner contacting the undersigned attorney for a telephone interview to discuss resolution of such informalities.

Respectfully submitted,

Date: <u>March 1, 2002</u> **FISH & NEAVE**

1251 Avenue of the Americas New York, New York 10020 Joseph M. Guiliano Reg. No. 36,539

Phone No. 212-596-9000 Fax No. 212-596-9090

Appendix A

Applicants' Marked-Up Claim Language

2. (Cancelled.) 3. (Cancelled.) 4. (Cancelled.) 5. (Cancelled.) 6. (Cancelled.) 7. (Cancelled.) 8. (Cancelled.) 9. (Cancelled.) 10. (Cancelled.) (Cancelled.) 11. (Cancelled.) 12. (Cancelled.) 13. 14. (Cancelled.)

15.

- 16. (Cancelled.)
- 17. (Cancelled.)
- 18. (Cancelled.)
- 19. (Cancelled.)
- 20. (Cancelled.)
- 21. (Cancelled.)
- 22. (Cancelled.)
- 23. (Cancelled.)
- 24. (Cancelled.)
- 25. (Cancelled.)
- 26. (Cancelled.)
- 27. (Cancelled.)
- 28. (Cancelled.)

- 29. (Cancelled.)
- 30. (Cancelled.)
- 31. (**Three Times Amended**) A method of processing a signal in a system comprising a transmitter station and a receiver station, said method comprising the steps of:

inputting to said transmitter station said signal and a transmission schedule associated with said signal, said signal including a first identifier, said schedule including a second identifier and at least one of:


- (1) a time at which to transmit said signal; and
- (2) <u>at least</u> one of a frequency and an output network on which to transmit said signal;

comparing said first identifier and said second identifier;

transmitting said signal to said receiver station according to said schedule based on said step of comparing;

selecting a portion of said signal at said receiver station; and inputting said selected portion of said signal to a processor for gathering statistics on programming availability, use or usage.

- 32. (Cancelled.)
- 33. (Cancelled.)
- 34. (Cancelled.)
- 35. (Cancelled.)



(2)	at least one of a transmission frequency and an output network;
transr	nitting said signal according to said schedule;
identi	fying said signal at a receiver station on the basis of said identifier; and
outpu	atting said identifier to a remote location.
47.	(Cancelled.)
48.	(Cancelled.)
49.	(Cancelled.)
50.	(Cancelled.)
51.	(Cancelled.)
٠	
52.	(Cancelled.)
	(,
53.	(Cancelled.)
54.	(Cancelled.)
55.	(Cancelled.)
	(- · · · · · · · · · · · · · · · · · ·
56.	(Cancelled.)
23.	(
57.	(Cancelled.)
	()

	58.	(Cancelled.)						
•	59.	(Cancelled.)						
	60.	(Cancelled.)						
	61.	(Cancelled.)						
	62.	(Cancelled.)						
	63.	(Cancelled.)						
	64.	(Amended) A method of communicating a signal comprising the steps						
of:								
	inputt	ng a signal, said signal including (i) specific programming including at						
<u>least</u> o	ne of v	deo, audio and data programming and (ii) an embedded identifier;						
	inputting said signal to a switch and a processor;							
	determining said specific programming inputted to said switch;							
	controlling said switch to communicate said specific programming according t							
timing	ginstruc	tions; and						
	delayi	ng communication of said signal.						
	65.	(Cancelled.)						
	66.	(Cancelled.)						
	67.	(Cancelled.)						

- 68. (Cancelled.)
- 69. (Cancelled.)
- 70. (Cancelled.)
- 71. (Cancelled.)
- 72. (Cancelled.)
- 73. (Cancelled.)
- 74. (Cancelled.)
- 75. (Cancelled.)
- 76. (Cancelled.)
- 77. (Cancelled.)
- 78. (Cancelled.)
- 79. (Cancelled.)

80. (Twice Amended) A method of processing signals in a system including a transmission station and a receiver station, said method comprising the steps of:

programming said receiver station to store user data and select said signals on the basis of said user data;

inputting a programming signal and a comparison signal at said transmission station, said comparison signal designating a transmission schedule;

inputting said transmission schedule, said transmission schedule comprising for each of said signals at least two of:

- (1) a transmission time;
- (2) an identifier for <u>at least</u> one of a transmission frequency and an output network; and
 - (3) a signal identifier;

transmitting said programming signal and said comparison signal from said transmission station in accordance with said transmission schedule based on said comparison signal;

selecting information detected in <u>at least</u> one of said programming signal and said comparison signal at said receiver station;

comparing said selected information to said user data; and

receiving a portion of an information transmission [containing] <u>including</u> said programming signal and said comparison signal at said receiver station based on said step of comparing.

- 81. (Cancelled.)
- 82. (Cancelled.)

- 83. (Cancelled.)
- 84. (Cancelled.)
- 85. (**Twice Amended**) A method of processing a plurality of signals in a system including a transmission station and a receiver station, wherein said receiver station is remote from said transmission station, said method comprising the steps of:

programming said receiver station to store user data;

inputting said plurality of signals to said transmission station;

inputting a transmission schedule associated with said plurality of signals, said transmission schedule identifying a specific schedule for each of said plurality of signals, each said specific schedule designating for <u>at least</u> one of said plurality of signals at least two of:

- (1) a transmission time;
- (2) at least one of a transmission frequency and an output network; and
- (3) an identifier;

transmitting <u>at least</u> one of said plurality of signals in accordance with said transmission schedule;

causing said receiver station to store <u>at least</u> one of said plurality of signals based on said user data.

- 86. (Cancelled.)
- 87. (Twice Amended) A method of communicating a plurality of signals in a network, said network including a transmission station and a remote receiver station, said method comprising the steps of:

inputting said plurality of signals at said transmission station;

inputting a communication schedule associated with said plurality of signals, said communication schedule designating for each signal of said plurality of signals at least two of:

- (1) a transmission time;
- (2) <u>at least</u> one of a transmission frequency and an output network; and
- (3) a designation code;

communicating each signal of said plurality of signals in accordance with said communication schedule;

inputting a portion of said plurality of signals to a computer at a time when specific information content does not exist;

generating said specific information content in response to said inputted portion of said plurality of signals; and

causing said receiver station to output said specific information content.

88. (Three Times Amended) A method of generating information content in a network, said network including a transmission station and a receiver station, said receiver station being remote from said transmitter station, said method comprising the steps of:

inputting a control signal at said transmission station;

inputting a schedule associated with said control signal, said schedule designating at least two of:

- (1) a transmission time;
- (2) at least one of a transmission frequency and an output network; and
- (3) an identifier;

communicating said control signal in accordance with said schedule at a time when information content does not exist;

inputting said control signal to a computer based on said step of communicating;

generating said information content in response to said control signal, said information content including at least one of video and a graphic; and

causing a signal generator at least one of (i) to add at least one of said control signal and said generated information content to an output [containing] including television programming at said transmission station and (ii) to add said generated information content to an output [containing] including television programming at said receiver station.

- 89. (Cancelled.)
- 90. (Cancelled.)
- 91. (Cancelled.)
- 92. (Cancelled.)
- 93. (**Twice Amended**) A method of processing signals in a network including a transmitter station and a user station, said user station having a processor, said method comprising the steps of:

inputting a plurality of signals at said transmitter station, said plurality of signals including a programming signal and a processor instruction;

inputting a schedule associated with said plurality of signals, said schedule including a designation for each of said plurality of signals of at least two of:

- (1) a transmission time;
- (2) at least one of a transmission frequency and an output network; and
- (3) an identifier;

communicating said programming signal in accordance with said schedule;

receiving said plurality of signals at said user station and outputting programming [contained] <u>included</u> in said programming signal;

inputting a user response to information [contained] <u>included</u> in said programming signal; and

processing said user response in accordance with said processor instruction.

- 94. (Cancelled.)
- 95. (Cancelled.)
- 96. (Cancelled.)
- 97. (Cancelled.)
- 98. (Three Times Amended) A method of processing a plurality of signals in a system, wherein said system includes a transmission station and a receiver station, said receiver station being remote from said transmitter station, said method comprising the steps of:

inputting to said system said plurality of signals, wherein said plurality of signals includes multimedia signals, wherein said multimedia signals include (i) at least one of video programming and audio programming and (ii) at least one of computer programming and programming to be printed;

inputting said multimedia signals to <u>at least</u> one of a switch and a processor at said transmission station;

controlling said <u>at least</u> one of a switch and a processor to communicate said multimedia signals to said receiver station according to a timing instruction;

determining <u>at least</u> one of a programming kind and subject matter [contained] <u>included</u> in said multimedia signals;

delaying <u>at least</u> one of processing and communication of a portion of said multimedia signals; and

outputting a multimedia presentation based on said multimedia signals.

99.	(Cancelled.)	
100.	(Cancelled.)	
101.	(Cancelled.)	
102.	(Cancelled.)	
103.	(Cancelled.)	
104.	(Cancelled.)	
105.	(Cancelled.)	
106.	(Cancelled.)	
107.	(Cancelled.)	
108.	(Cancelled.)	

(Cancelled.)

109.

- (Cancelled.) 110. 111. (Cancelled.) 112. (Cancelled.) 113. (Cancelled.) (Cancelled.) 114. 115. (Cancelled.) 116. (Cancelled.) 117. (Cancelled.) (Cancelled.) 118.
- 119. (Three Times Amended) A method of processing multimedia signals in a network including a transmission station and a receiver station, said receiver station having storage capacity for storing multimedia programming, said storage capacity including at least two of an optical disk player, a video recorder/player, and a computer, said method comprising:

inputting to said network a plurality of signals, wherein at least two of said plurality of signals are multimedia signals, each of said multimedia signals including \underline{at}

<u>least</u> one of video, audio and data programming, said multimedia signals further including an embedded identifier;

inputting said plurality of signals to a switch and a processor at said transmission station;

controlling said switch to communicate said plurality of signals to said receiver station according to timing instructions;

identifying programming inputted to said switch;

communicating an instruct-to-coordinate signal to said receiver station;

delaying at least one of processing and communication of said multimedia signals in response to [one of] said instruct-to-coordinate signal[and programming stored at said processor]; and

presenting multimedia programming at said receiver station at <u>at least</u> one of a specific time and a specific place in response to said instruct-to-coordinate signal, said multimedia programming [contained] <u>included</u> in said multimedia signals.

120. (Cancelled.)

121. (Cancelled.)

122. (Cancelled.)

123. (Cancelled.)

124. (Cancelled.)

126. (Cancelled.) (Cancelled.) 127. (Cancelled.) 128. 129. (Cancelled.) 130. (Cancelled.) (Cancelled.) 131. (Cancelled.) 132. 133. (Cancelled.) (Cancelled.) 134. 135. (Cancelled.) (Cancelled.) 136. (Cancelled.) 137. (Cancelled.) 138.

(Cancelled.)

139.

140. (Cancelled.) 141. (Cancelled.) (Cancelled.) 142. 143. (Cancelled.) 144. (Cancelled.) 145. (Cancelled.) 146. (Cancelled.) 147. (Cancelled.) (Cancelled.) 148. 149. (Cancelled.) 150. (Cancelled.) 151. (Cancelled.)

(Cancelled.)

152.

153. (Cancelled.) (Cancelled.) 154. 155. (Cancelled.) (Cancelled.) 156. 157. (Cancelled.) (Cancelled.) 158. (Cancelled.) 159. 160. (Cancelled.) 161. (Cancelled.) 162. (Cancelled.) (Cancelled.) 163. 164. (Cancelled.) (Cancelled.) 165.

166.

- 167. (Cancelled.)
- 168. (Cancelled.)
- 169. (Cancelled.)
- 170. (Cancelled.)
- 171. (Cancelled.)
- 172. (Cancelled.)
- 173. (Cancelled.)
- 174. (Cancelled.)
- 175. (Cancelled.)
- 176. (Cancelled.)
- 177. (Cancelled.)
- 178. (Cancelled.)
- 179. (Cancelled.)

- 180. (Cancelled.)
- 181. (Cancelled.)
- 182. (Cancelled.)
- 183. (Cancelled.)
- 184. (Cancelled.)
- 185. (Cancelled.)
- 186. (Cancelled.)
- 187. (Cancelled.)
- 188. (Cancelled.)
- 189. (Cancelled.)
- 190. (Cancelled.)
- 191. (Cancelled.)
- 192. (Cancelled.)
- 193. (Cancelled.)

194.	(Cancelled.)
------	--------------

- 195. (Cancelled.)
- 196. (Cancelled.)
- 197. (Cancelled.)
- 198. (Cancelled.)
- 199. (Cancelled.)
- 200. (Cancelled.)
- 201. (Cancelled.)
- 202. (Cancelled.)
- 203. (Cancelled.)
- 204. (Cancelled.)
- 205. (Cancelled.)
- 206. (Cancelled.)

- 207. (Cancelled.)
- 208. (Cancelled.)
- 209. (Cancelled.)
- 210. (Cancelled.)
- 211. (Cancelled.)
- 212. (Cancelled.)
- 213. (Cancelled.)
- 214. (Cancelled.)
- 215. (Cancelled.)
- 216. (Cancelled.)
- 217. (Cancelled.)
- 218. (Cancelled.)
- 219. (Cancelled.)
- 220. (Cancelled.)


221. (Cancelled.) (Cancelled.) 222. (Cancelled.) 223. 224. (Cancelled.) 225. (Cancelled.) 226. (Cancelled.) (Cancelled.) 227. 228. (Cancelled.) 229. (Cancelled.) 230. (Cancelled.) 231. (Cancelled.)

(Cancelled.)

(Cancelled.)

232.

233.



•	247.	(Cancelled.)						
	248.	(Cancelled.)						
	249.	(Twice Amended) The method of claim 46, further comprising						
selecting at least one of said plurality of signals according to said schedule.								
	250.	(Cancelled.)						
	251.	(Amended) The method of claim 64, wherein said signal is at least of	ne					
of a pl	lurality	f signals.						
	252.	(Unchanged) The method of claim 251, further comprising the step of	•					
reorde	ering sai	l plurality of signals.						
	253.	(Cancelled.)						
•	254.	(Cancelled.)						
		(Cancelled.)						
	256.	(Cancelled.)						
	257.	(Cancelled.)						
	258.	(Cancelled.)						

- 260. (Unchanged) The method of claim 80, wherein said selected information is detected in said comparison signal.
- 261. (Unchanged) The method of claim 80, wherein said comparison signal includes a plurality of identifiers.
- 262. (Unchanged) The method of claim 80, wherein said receiver station includes a plurality of receivers.
- 263. (Unchanged) The method of claim 262, further comprising the steps of: receiving said selected information at a first of said plurality of receivers, and receiving said portion of said information transmission at a second of said plurality of receivers.
- 264. (Unchanged) The method of claim 80, wherein said step of receiving includes actuating a receiver.
 - 265. (Cancelled.)
 - 266. (Cancelled.)
- 267. (Unchanged) The method of claim 80, wherein said selected information is detected in said information transmission.

- 268. (Unchanged) The method of claim 80, wherein said programming signal includes an identifier.
- 269. (Unchanged) The method of claim 80, wherein said programming signal includes said comparison signal.

- 271. (Amended) The method of claim 85, wherein said step of causing includes identifying said at least one of said plurality of signals.
- 272. (Unchanged) The method of claim 88, further comprising the step of programming said computer to respond to at least one control signal embedded in a television signal.
- 273. (Unchanged) The method of claim 88, further comprising the step of programming said transmission station to detect at least one control signal embedded in a television signal.
 - 274. (Cancelled.)
 - 275. (Cancelled.)
 - 276. (Cancelled.)
 - 277. (Cancelled.)

- 278. (Cancelled.)
- 279. (Cancelled.)
- 280. (Unchanged) The method of claim 98, wherein said timing instruction includes a schedule.
- 281. (Unchanged) The method of claim 280, further comprising the step of causing said transmission station to transmit said plurality of signals in accordance with said schedule.
- 282. (Unchanged) The method of claim 280, further comprising the step of detecting an identifier in said plurality of signals.
- 283. (Amended) The method of claim 282, further comprising the step of comparing said identifier to information [contained] <u>included</u> in said schedule.
- 284. (Unchanged) The method of claim 98, further comprising the step of including an instruct-to-coordinate signal in said plurality of signals.
- 285. (Unchanged) The method of claim 284, wherein said instruct-to-coordinate signal includes an identifier.
- 286. (Amended) The method of claim 98, further comprising the step reordering at least two of said plurality of signals.

- 288. (Cancelled.)
- 289. (Cancelled.)
- 290. (Cancelled.)
- 291. (Cancelled.)
- 292. (Cancelled.)
- 293. (Cancelled.)
- 294. (Cancelled.)
- 295. (Cancelled.)
- 296. (Cancelled.)
- 297. (Cancelled.)
- 298. (Cancelled.)
- 299. (Cancelled.)
- 300. (Cancelled.)

- 301. (Cancelled.)
- 302. (Cancelled.)
- 303. (Cancelled.)